

NEW



M18 FUEL™

DRIVEN TO OUTPERFORM.™



GENERATES

15A
CORDED
POWER

FASTER
THAN
CORDED

CUTS
120' OF
DECKING PER
CHARGE

**8" Metal Cutting
Circular Saw**

2982-21, 2982-20

REDLITHIUM™
HIGH OUTPUT™ XC8.0




DRIVEN TO OUTPERFORM.™

M18 FUEL™ is engineered for the most demanding tradesmen in the world. Delivering unrivaled performance in a compact structure, all M18 FUEL™ products feature three MILWAUKEE® exclusive innovations — the POWERSTATE™ Brushless Motor, REDLITHIUM™ Battery Pack and REDLINK PLUS™ Intelligence Hardware and Software — that deliver unmatched power, run-time and durability. Simply put, the M18 FUEL™ 8" Metal Cutting Circular Saw delivers the power and performance of a corded metal cutting circular saw.

M18 FUEL

1 POWERSTATE™ BRUSHLESS MOTOR




- MILWAUKEE® Designed and Built Brushless Motor
- Outperforms All Leading Competitors




2 REDLINK PLUS™ INTELLIGENCE

- Most Advanced Electronic System on the Market for Maximum Performance
- Total System Communication with Overload Protection Increases Tool Life



3 REDLITHIUM™ HIGH OUTPUT™ XC8.0



50%
MORE POWER
& RUNS COOLER
VS REDLITHIUM™ XC

FITS M18™ TOOLS

GENERATES
15A
CORDED
POWER

FASTER
THAN
CORDED

CUTS
120' OF
DECKING PER
CHARGE

8" METAL CUTTING CIRCULAR SAW

GENERATES 15A CORDED POWER

INCREASED PRODUCTIVITY



MILWAUKEE®
M18 FUEL™


MILWAUKEE®
15A Corded

- Ability to cut through tougher, thicker metals
- Power to cold cut thick metals, with no cords or hoses



FASTER THAN CORDED

UP TO 30% FASTER CUTS




- More cuts in one day due to 30% faster cutting than the competitors



CUTS 120' OF DECKING PER CHARGE

LESS DOWN TIME



*Using M18™ REDLITHIUM™
HIGH OUTPUT™ XC8.0 Battery Pack

- Cut up to 40 sheets of corrugated decking per charge



DUAL-ACTUATED TRIGGER

Prevents accidental tool start-ups

OVERLOAD INDICATOR LIGHT

Turns yellow when user is pushing too hard, coaching the user to optimal cutting speed

TOOL-FREE REMOVABLE CHIP COLLECTOR

Provides easy metal chip removal and clean-up

POWERSTATE™ BRUSHLESS MOTOR

Generates 15A Corded Power

M18™ REDLITHIUM™ HIGH OUTPUT™ XC8.0 BATTERY

Provides 50% more power and runs 50% cooler than M18™ REDLITHIUM™ XC battery packs

ELECTRIC BLADE BRAKE

Stops all blades in under one second

TOOL-FREE ADJUSTABLE SHOE

Adjust shoe depth for optimal cutting capacity

SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS	DESCRIPTION	SPECIFICATIONS
Blade Size	8"	Chip Collection	Yes
Blade Cut Capacity	2-9/16"	Overload Indicator Light	Yes
RPM	4,000	Electric Blade Brake	Yes
Arbor Size	5/8"	Length / Weight	15.5" / 12.1 lbs



M18 FUEL™ 8" Metal Cutting Circular Saw Kit
2982-21

Includes: 2982-20 8" Metal Cutting Circular Saw, (1) M18™ REDLITHIUM™ HIGH OUTPUT™ XC8.0 Battery Pack, M18™ & M12™ Rapid Charger, Blade, Allen Key and Contractor Bag.



M18 FUEL™ 8" Metal Cutting Circular Saw (Tool-Only)
2982-20

Includes: 2982-20 8" Metal Cutting Circular Saw, Blade and Allen Key.
Battery and Charger Not Included.



ADDITIONAL SOLUTIONS

M18 FUEL™ 5-3/8" - 5-7/8" METAL CUTTING CIRCULAR SAW



**FASTEST
CUTTING**

**LONGEST
TOOL LIFE**

**UP TO
370
CUTS
IN 3/4" EMT**

SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS
Blade Size	5-3/8" – 5-7/8"
Blade Cut Capacity	2-1/4" (with 5-7/8" blade)
RPM	3,900
Arbor Size	20 mm

DESCRIPTION	SPECIFICATIONS
Hang Hook	Yes
Overload Protection	Yes
Electronic Clutch	Yes
Length / Weight	14.8" / 6.5 lbs



M18 FUEL™ 5-3/8" - 5-7/8" Metal Cutting Circular Saw Kit 2782-22

Includes: 2782-20 M18 FUEL™ 5-3/8" – 5-7/8" Metal Cutting Circular Saw, (2) M18™ REDLITHIUM™ XC5.0 Battery Packs, Multi-Voltage Charger, 5-3/8" 30T Blade and Contractor Bag.



M18 FUEL™ 5-3/8" - 5-7/8" Metal Cutting Circular Saw (Tool-Only) 2782-20

Includes: 2782-20 M18 FUEL™ 5-3/8" – 5-7/8" Metal Cutting Circular Saw and 5-3/8" 30T Blade.
Battery and Charger Not Included.



METAL CUTTING CIRCULAR SAW BLADES

8" BLADES



8" 42T Metal and Stainless
48-40-4515



8" 50T Metal and Stainless
48-40-4520



8" 58T Aluminum*
48-40-4345

5-3/8" - 5-7/8" BLADES



5-3/8" 30T Metal and Stainless
48-40-4070



5-3/8" 50T Aluminum
48-40-4075



5-7/8" 50T Aluminum*
48-40-4315



5-7/8" 34T Metal*
48-40-4215

*Available 7/2020



M18

**PERFORMANCE DRIVEN
TRADE FOCUSED
SYSTEM WIDE**



milwaukeetool.com

© 2020 Milwaukee Tool